## **IN THE CLAIMS:**

Please amend the claims as follows.

- 1. (Currently Amended) A method comprising:
  - identifying a plurality of candidate summaries related to textual information based at least in part on a document;
  - determining first and second attribute values based at least in part on the candidate summaries;
  - determining a number of storage locations for the plurality of candidate summaries,

    the number of storage locations based at least in part on a size of the

    document;
  - combining the plurality of candidate summaries into a plurality of combined candidate summaries;
  - selecting from the plurality of combined candidate summaries a first highest-weighted

    combined candidate summary and a second highest-weighted combined

    candidate summary;
  - comparing the first and second highest-weighted combined candidates; and determining an optimal candidate summary based at least in part on the first and second attribute values and at least in part on the comparison of the first and second highest-weighted combined candidate summaries.
- 2. (Cancelled)
- 3. (Currently Amended) The method of claim  $\underline{1}$  [[2]] further comprising tokenizing the document.
- 4. (Currently Amended) The method of claim  $\underline{1}$  [[2]], wherein the size of the document comprises a number of words disposed in the document.
- 5. (Currently Amended) The method of claim  $\underline{1}$  [[2]], wherein the size of the document comprises a number of character strings disposed in the document.

- 6. (Currently Amended) The method of claim  $\underline{1}$  [[2]], wherein the number of storage locations is based at least in part on at least one of the size of the document, a desired size of the summary, and a number of query terms.
- 7. (Original) The method of claim 3 further comprising tokenizing a portion of the document sufficient to generate a predetermined number of candidate summaries.
- 8. (Original) The method of claim 1, wherein the first and second attribute values comprise a number of words.
- 9. (Original) The method of claim 1, wherein the first and second attribute values comprise a pixel size.
- 10. (Original) The method of claim 1, wherein the first and second attribute values comprise a string length.
- 11. (Currently Amended) The method of claim  $\underline{1}$  [[2]], wherein a number of combined candidates is less than or equal to the number of storage locations.
- 12. (Currently Amended) The method of claim  $\underline{1}$  [[2]], wherein each of the storage locations comprises a bucket and wherein the first and second attribute values are mapped onto the bucket.
- 13. (Currently Amended) The method of claim  $\underline{1}$  [[2]], wherein the candidate summaries comprise at least one keyword.
- 14. (Currently Amended) The method of claim 13, wherein the keyword comprises a first keyword and a second keyword, the optimal candidate summary further <u>determined</u> based at least in part on a title of the document comprising the first keyword and one of the plurality of candidate summaries comprising the second keyword.

- 15. (Currently Amended) The method of claim 13, wherein the first and second highest-weighted combined candidates are <u>selected</u> based at least in part on a percentage of keywords included in the plurality of candidate summaries.
- 16. (Currently Amended) The method of claim 13, wherein the document comprises a plurality of sections and wherein the first and second highest-weighted combined candidates are <u>selected</u> based at least in part on multiple occurrences of the keyword in one of the plurality of sections.
- 17. (Currently Amended) The method of claim 13 further comprising adjusting a weighting of the first and second <u>highest-weighted</u> combined candidate summaries based at least in part on a number of the keywords spanned by the plurality of candidate summaries.
- 18. (Original) A method comprising:

searching a document;

identifying a keyword disposed in the document;

- identifying a plurality of candidate summaries related to textual information based at least in part on the document;
- determining a number of storage locations for the plurality of candidate summaries, the number of storage locations based at least in part on a size of the document;
- combining the plurality of candidate summaries into a plurality of combined candidate summaries;
- determining first and second attribute values based at least in part on the candidate summaries:
- selecting from the plurality of combined candidate summaries a first highest-weighted combined candidate summary and a second highest-weighted combined candidate summary;
- determining an optimal candidate summary based at least in part on the first and second attribute values; and

- comparing the first and second highest-weighted combined candidate summaries, wherein determining the optimal candidate summary is further based at least in part on the comparison of the first and second highest-weighted combined candidate summaries.
- 19. (Currently Amended) A <u>tangible</u> computer readable medium comprising instructions, that, when executed, cause an application to:
  - identify a plurality of candidate summaries related to textual information based at least in part on a document;
  - determine first and second attribute values based at least in part on the candidate summaries;
  - determine a number of storage locations for the plurality of candidate summaries, the

    number of storage locations based at least in part on a size of the document;

    combine the plurality of candidate summaries into a plurality of combined candidate
  - select from the plurality of combined candidate summaries a first highest-weighted

    combined candidate summary and a second highest-weighted combined

    candidate summary;
  - compare the first and second highest-weighted combined candidate summaries, and determine an optimal candidate summary based at least in part on the first and second attribute values and at least in part on the comparison of the first and second highest-weighted combined candidate summaries.
- 20. (Cancelled)

summaries;

- 21. (Currently Amended) The <u>tangible</u> computer readable medium of claim 19, further comprising instructions, that, when executed, cause an application to tokenize the document.
- 22. (Currently Amended) The <u>tangible</u> computer readable medium of claim 19, wherein the size of the document comprises a number of words disposed in the document.

- 23. (Currently Amended) The <u>tangible</u> computer readable medium of claim 19, wherein the size of the document comprises a number of character strings disposed in the document.
- 24. (Currently Amended) The <u>tangible</u> computer readable medium of claim <u>19</u> [[20]], wherein the number of storage locations is based at least in part on at least one of the size of the document, a desired size of the summary, and a number of query terms.
- 25. (Currently Amended) The <u>tangible</u> computer readable medium of claim 19, wherein the first and second attribute values comprise a number of words.
- 26. (Currently Amended) The <u>tangible</u> computer readable medium of claim 19, wherein the first and second attribute values comprise a pixel size.
- 27. (Currently Amended) The <u>tangible</u> computer readable medium of claim 19, wherein the candidate summaries comprise a string length.
- 28. (Currently Amended) The <u>tangible</u> computer readable medium of claim <u>19</u> [[20]], wherein a number of combined candidate summaries is less than or equal to the number of storage locations.
- 29. (Currently Amended) The <u>tangible</u> computer readable medium of claim <u>19</u> [[20]], wherein each of the storage locations comprises a bucket and wherein the first and second attribute values are mapped onto the bucket.
- 30. (Currently Amended) The <u>tangible</u> computer readable medium of claim <u>19</u> [[20]], wherein the candidate summaries comprise at least one keyword.
- 31. (Currently Amended) The <u>tangible</u> computer readable medium of claim 30, wherein the keyword comprises a first keyword and a second keyword, the optimal candidate summary <u>determined</u> based at least in part on a title of the document comprising the first keyword and one of the plurality of candidate summaries comprising the second keyword.

- 32. (Currently Amended) The <u>tangible</u> computer readable medium of claim 30, wherein the first and second highest-weighted combined candidates are <u>selected</u> based at least in part on a percentage of the keywords included in the plurality of candidate summaries.
- 33. (Currently Amended) The <u>tangible</u> computer readable medium of claim 30, wherein the document comprises a plurality of sections and wherein the first and second highest-weighted combined candidates are <u>selected</u> based at least in part on multiple occurrences of the keyword in one of the plurality of sections.
- 34. (Currently Amended) The <u>tangible</u> computer readable medium of claim 21 further comprising instructions, that, when executed, cause an application to tokenize a portion of the document sufficient to generate a predetermined number of candidate summaries.
- 35. (Currently Amended) The <u>tangible</u> computer readable medium of claim 30 further comprising instructions, that when executed cause an application to adjust a weighting of the first and second <u>highest-weighted</u> combined candidate summaries based at least in part on a number of the keywords spanned by the plurality of candidate summaries.